

IN THE SPECIFICATION

Please amend the specification as follows.

Please replace the table on Page 26, Paragraph 81, with the following:

[0081]

Table 2 – Metronidazole Formulation

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>	<u>% of Formula</u>
Metronidazole	750	75
Eudragit ® RSPO (5%)	50	5
<i>Prosolv</i> 50	142.5	14.25
Maltodextrin ®	47.5	4.75
Talc (0.5%)	5	0.5
Aerosil ® (fumed silica) (0.5%)	5	0.5
Isopropyl Alcohol	q.s	q.s
Totals:	1000	100

Please replace the table on Page 27, Paragraph 83, with the following:

[0083]

Table 3 – Metronidazole Formulation 2

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>	<u>% of Formula</u>
Metronidazole	750	75
Eudragit ® RSPO (5%)	50	5
<i>Prosolv</i> 50	171	17.1
Maltodextrin M180	19	1.9
Talc (0.5%)	5	0.5
Aerosil ® (fumed silica) (0.5%)	5	0.5
Isopropyl Alcohol	q.s	q.s
Totals:	1000	100

Please replace the table on Page 28, Paragraph 85, with the following:

[0085]

Table 4 – Metronidazole Formulation 3

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>	<u>% of Formula</u>
Metronidazole	750	75
Eudragit ® RSPO (5%)	50	5
<i>Prosolv</i> 50	180	18
Maltodextrin M180	10	1
Talc (0.5%)	5	0.5
Aerosil ® (<u>fumed silica</u>) (0.5%)	5	0.5
Isopropyl Alcohol	q.s	q.s
Totals:	1000	100

Please replace the table on Page 29, Paragraph 87, with the following:

[0087]

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>
Metronidazole	750
Eudragit ® RSPO (5%)	50
<i>Prosolv</i> 50	190
Talc (0.5%)	5
Aerosil ® (<u>fumed silica</u>) (0.5%)	5
Isopropyl Alcohol	q.s
Tablet weight:	1000

Please replace the table on Page 31, Paragraph 93, with the following:

[0093]

Table 6 –Metformin HCl Formulation 1

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>	<u>% of Formula</u>
Metformin HCl	500	50
Xanthan gum CR (5%)	50	5
Methocel ® E10MCR (15%)	150	15.0
<i>Prosolv</i> ® 50	145	14.5
Maltodextrin M180	145	14.5
Aerosil ® (<u>fumed silica</u>) (0.5%)	5	0.5
Magnesium stearate (0.5%)	5	0.5
Total	1000	100

Please replace the table on Page 37, Paragraph 95, with the following:

[0095]

Table 7 –Metformin HCl Formulation 1

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>	<u>% of Formula</u>
Metformin HCl	500	50
Xanthan gum CR (5%)	50	5
Methocel ® E10MCR (15%)	150	150
<i>Prosolv</i> ® 50	261	26.1
Maltodextrin M180	29	2.9
Aerosil ® (<u>fumed silica</u>) (0.5%)	5	0.5
Magnesium stearate (0.5%)	5	0.5
Total	1000	100

Please replace the table on Page 33, Paragraph 97, with the following:

[0097]

Table 8 –METFORMIN HCl Formulation 1

<u>Ingredients</u>	<u>Qty per tablet (mg)</u>
Metformin HCl	500
Xanthan gum CR (5%)	50
Methocel ® E10MCR (15%)	150
<i>Prosolv</i> ® 50	290
Aerosil ® (fumed silica) (0.5%)	5
Magnesium stearate (0.5%)	5
Tablet Weight	1000